

V1574A & B
Assemblies



V163W

V163	Motor Mounting Screw50
V164	Nut65
X162	Washer65
N52-1A	Washer50

V190W


V100	Bushing	1.00
V190	Target Feed Arm	15.80
V193	Stud	10.30
V195	Stud	1.30

V197W


V197	Feed Shelf Operator Bracket	4.75
V198	Guide Rod	2.15
V199	Spring Guide	1.05

V1574A & B
Assemblies


V203AW



V205W




V207AW



V1574A & B Assemblies

V210AW



V203AW

V31	Nut65
V203	Target Feed Shelf	3.30
V204A	Guide Button	4.70
V205	Screw50
N57-1	Washer50

V205W

V31	Nut65
V205	Screw50
N57-1	Washer50


V207AW

V87	Roll Pin65
V207A	Target Feed Cam	72.80
V208	Target Feed Cam Colla	14.15


V210AW

V49	Washer	1.85
V210A	Feed Finger Bracket	5.25
V211	Pivot80
V212	Stop80
V213	Spring Post90
N126	Cotter Pin50

V1574A & B
Assemblies



V1574A & B Assemblies



V216AW

V49	Washer	1.85
V211	Pivot80
V216A	Target Stop Finger	
X158A	Nut65
X159	Lockwasher65
X190B	Screw70
N126	Cotter Pin50



V408W

V411	Release Plug	9.15
V412	Release Boot	7.05

V400

V400S	Skeet Release Switch End	60.50
V411	Release Plug	9.15
V412	Release Boot	7.05

V1574A & B
Assemblies



V1574A & B Assemblies

V413W


V404	Separator	1.00
V413A	Switch	4.05
V417W	Switch Wire Assembly	5.85
V419W	Sub Assembly Switch Wire	5.65
V422A	Round Head Screw75
V423	Round Head Screw75
V424	Round Head Screw75
V425	Nut75
V426	Lockwasher75
V427	Switch Pin	3.15
V430	Micro Actuator	3.75

V400S

V401	Housing	7.15
V402	Cover80
V403A	Button65
V405	Diaphragm70
V406	Strain Relief	1.90
V407	Packing Washer	1.70
V409	Gland	3.10
V410	Screw Cover75
V413W	Switch Assembly	27.60
V428	Button Seal	1.10

V1574A & B
Assemblies

V414W



V440



V1574A & B Assemblies


V414W

V414	Terminal	1.40
V415	Terminal65
V416	Terminal65

V440

V412	Release Boot	7.05
V429	Adapter Cord	1.05
U344	Sealing Ring	1.10
U358	Release Connector	13.55
X249	Connector	5.85
X250	Lock Ring90


Trap Equipment



Autoloading Regulation Trap V1582A

Latest version of the most popular autoloading regulation trap ever made. Redesign provides improvements for positive feeding and virtually eliminates target breakage. Simplified servicing used standard electrical hardware and the new improved X400 trap release.


A new remote control unit permits operation from outside the trap house, out of view of the trap machine. The addition of a "Fire" button to the control unit and new rotating, latching windage adjusters simplify target flight adjustments. Quick changeover from singles to doubles. Trap includes interrupter to conform with ATA rules.



Autoloading International Trap V1583A

The "Universal" trap combines all the features of the V1582A plus vertical motion and increased throwing distance. Single and dual springs are provided. Trap will throw 100 yard targets for UIT, ISU events, plus regulation ATA targets. Four ranges of vertical motion are provided, all interrupted to prevent trap reading. The magazine easily accommodates the requirements of six-man international squads.

U400 Kit to convert the V1582A to V1583A. (No factory installation required.)



Western® White Flyer® Trap V1524C1

This is the trap that sets the standards in competition shooting. These dependable traps have been the only ones used at the Grand American since 1955. In recent years at this event, over 75 of these traps have been throwing more than 3,000,000 targets during the nine-day shoot! Instantaneous, push-button, random release. Throw single targets or doubles.


Easy, economical installation. No push-pull rods.

Simple hand adjustments for distance, windage, and elevation. Convenient master switch. Trap includes interrupter to conform with ATA rules and X400 Trap release.

V1580A Western® Modified Clay Pigeon Trap Conversion Unit Converts V1524C1 TO V1579C1. Factory installation required.

WINCHESTER®

Trap Equipment



Western® Modified Clay Pigeon Trap V1579C1

This trap incorporates all the features of the V1524C1 plus the ability to throw vertical angles for simulated International style shooting.

A simple adjustment permits the vertical movement assembly to be easily disconnected and connected again in the field, offering the capability of throwing targets for either regulation trap or International style trap.


The spring installed on V1579C1 traps will provide both regulation and International throwing distances with only a tension adjustment. Lightweight carrier arm (not shown: part #XS5W) is recommended for 75 meter throwing distances.

Trap includes interrupter to conform with ATA Rules and X400 trap release.

Western® Modified Clay Pigeon Trap V1579C1

(Not pictured) Factory equipped with special lightweight throwing arm for throwing heavier International clay pigeons.

Skeet Equipment



Self-Loading Electric Skeet Trap Set V1574B1

(Sold separately as V1562B-Illustrated)

The *Western* Self-Loading Electric Skeet Traps provide the utmost in operational economy. They are the only traps which have been used at the annual World Skeet Shoot since 1958.

One man, reloading between rounds, operates an entire field by himself. Each trap holds a reserve of 88 targets, more than enough for five or six-man squads.

Streamlined. The ruggedness of aluminum and steel oilless bearings. Automatically clears itself of accidentally broken targets in magazine or carrier.

Precision release of target assures more uniform performance. The *Western* V400 Skeet Release is included. Master switch can be controlled by trap attendant for maximum safety. Circular guards are included.

A new throwing arm and spring is installed on all skeet traps to provide both regulation and International throwing distances with only a spring adjustment change.

This unit is ideally suited for use in sporting clays. For further information, contact Ind. Customer Service (618) 258-3502.

Trap Guards - Notice

All current *Western* motorized traps are factory equipped with circular safety guards.

Safety guard kits are available and strongly recommended for installation on all of your *Western* motorized target throwing machines to increase safety and reduce possibility of injury. The guards are complete with suitable attached warnings and instructions for easy field installation. The circular ring guard reduces risk of injury by defining the zone of carrier (throwing arm) rotation. Ordering information is listed below.

Trap Series	Description	Trap Serial Number	Guard Kit Part Number	Price Each Plus Shipping
V1524, V1579, V1581 (Model X, XS, XE)	Handloaded Machines for Trap	X, XS, XE (All)	X450	*
V1562, V1574 (Model V)	Autoloading Machines for Skeet	V (All)	V450	*
V1582, V1583 (Model U, US)	Autoloading Machines for Trap	U & US 2500 & Up	U450	*
V1577 (Model U)	Autoloading Machines for Trap (pre-1976)	All U up to & Including U2355	U455	*

*Contact Product Service Department for prices. (618) 258-2737